UL Product iQ™



ZPMV2.E208099 - WIRING, PRINTED - COMPONENT Wiring, Printed - Component

See General Information for Wiring, Printed - Component

AKA PCB D O O E208099

Rozna Dolina 54 4248 Lesce, SLOVENIA

	Cond Width				Max			Max			
		Min	Cond	SS/	Area	Solder		Oper		Meets	C
	Min	Edge	Thk	DS/	Diam	Limits		Temp	Flame	UL796	T
Туре	mm(in)	mm(in)	mic(mil)	DSO	mm(in)	c	sec	C	Class	DSR	ı
Single layer printed wiring boards.											
1	0.15 (0.006)	0.23 (0.009)	33 (1.30)	SS	20.6 (0.8)	260	10	105	V-0	All	0
3	0.18 (0.007)	0.25 (0.010)	33 (1.30)	SS	20.6 (0.8)	270	10	130	V-0	All	*
Single Sided Metal Based Printed wiring boards, flammability only Recognition.											
4	-	-	-	SS	-	260	10	-	V-0	-	-

^{* -} CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or trademark A K A or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

Last Updated on 2018-01-10

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

1 od 1 19. 11. 2019 13:35

UL Product iQ™



ZPMV8.E208099 - WIRING, PRINTED CERTIFIED FOR CANADA - COMPONENT

Wiring, Printed Certified for Canada - Component

See General Information for Wiring, Printed Certified for Canada - Component

AKA PCB D O O E208099

Rozna Dolina 54 4248 Lesce, SLOVENIA

	Cond Width				Max			Max			
		Min	Cond	SS/	Area	Solder		Oper		Meets	C
	Min	Edge	Thk	DS/	Diam	Limits		Temp	Flame	UL796	T
Туре	mm(in)	mm(in)	mic(mil)	DSO	mm(in)	c	sec	С	Class	DSR	
Single layer printed wiring boards.											
1	0.15 (0.006)	0.23 (0.009)	33 (1.30)	SS	20.6 (0.8)	260	10	105	V-0	All	0
3	0.18 (0.007)	0.25 (0.010)	33 (1.30)	SS	20.6 (0.8)	270	10	130	V-0	All	*
Single Sided Metal Based Printed wiring boards, flammability only Recognition.											
4	-	-	-	SS	-	260	10	-	V-0	-	-

^{* -} CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or trademark A K A , or file number and type designation and the Recognized Component Mark for Canada, May be followed by a suffix to denote factory identification or burning test classification.

Last Updated on 2018-01-10

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

1 od 1 19. 11. 2019 13:35